



How the Study Works



Study Groups or Arms

As the patient, you will be randomized into one of the below study groups for the next 12 months:

- Continue medication at current dose
- Space out or lower medication dose
- Stop medication completely

Medical Appointments

Appointments for this study will be with your regular rheumatologist and will continue to be every 3 months.





Surveys

You will be asked to fill out surveys at each appointment.

Medical Tests or Procedures

You have the option to do tests at the beginning and end of the study which will be very useful in helping answer tough questions about medication. These baseline tests are blood draws and MRI screenings. Unless something serious is found, you will not get results of these tests since they are only used as benchmarks for the study.






BACK-OFF JSpA Study

Follow Up

As part of this study, you will be followed for up to 36 months. Once the initial 12 months in the study group you were assigned ends, you will be asked to continue to fill out surveys for up to 24 additional months as a follow up. This will provide much needed information on symptom severity and potential to flare after the initial study period.



36



Importance of the Study

This study was designed by researchers, doctors, parents and patients as a tool to answer questions about medication use in JSpA. Your participation is very valuable. It will help answer questions for future JSpA patients and families.

THANK YOU for considering to participate in the BACK-OFF JSpA Research Study!



Visit the study website at www.backoffjspa.com for more information or scan the QR code

BACK-OFF JSpA



Cómo funciona el estudio



Grupos de estudio o brazos

Como paciente, se lo asignará aleatoriamente a uno de los siguientes grupos de estudio durante los próximos 12 meses:

- Continuar con el medicamento en la dosis actual
- Espaciar o reducir la dosis del medicamento
- Suspender el medicamento por completo.

Citas médicas

Las citas para este estudio serán con su reumatólogo habitual y tendrán lugar cada 3 meses.





Encuestas

En cada cita, se le pedirá que complete encuestas.

Pruebas o procedimientos médicos

Tiene la opción de realizar pruebas al principio y al final del estudio, lo cual será muy útil para ayudar a responder preguntas difíciles sobre los medicamentos. Estas pruebas de referencia son extracciones de sangre y exámenes de resonancia magnética. A menos que se encuentre algo grave, no recibirá los resultados de estas pruebas, ya que solo se utilizan como puntos de referencia para el estudio.







Estudio BACK-OFF JSpA

Seguimiento

Como parte de este estudio, se le hará un seguimiento por hasta 36 meses. Cuando finalicen los 12 meses iniciales en el grupo de medicamentos que se le asignó, se le pedirá que continúe completando encuestas por hasta 24 meses adicionales como seguimiento. Esto proporcionará información muy necesaria sobre la gravedad de los síntomas y la potencial de reagudización después del período inicial del estudio.



36



Importancia del estudio

Este estudio fue diseñado por investigadores, médicos, padres y pacientes como una herramienta para responder preguntas sobre el uso de medicamentos para tratar la JSpA. Su participación es muy valiosa. Ayudará a responder preguntas para futuros pacientes con JSpA y sus familias.

¡GRACIAS por
considerar participar
en el estudio de
investigación
BACK-OFF JSpA!

